

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	78	((service near provider\$2) near ((wireless or mobile or cellular) near application\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:10
S2	53	S1 and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:28
S3	0	carnation.in. and meyer.in. and romanzin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:11
S4	1	carnation.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:10
S5	0	carnation.in. and meyer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:11
S6	0	carnation.in. and romanzin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:11
S7	10	meyer.in. and romanzin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:11
S8	2276	(action near engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:33

S9	1	S8 and (action near engine near corporation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:31
S10	1882	(action adj engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:33
S11	19	(action adj engine) and redmond	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:33
S12	1	(encapsulat\$5 near (function adj call\$4)) and (function near parameter\$2) and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:55
S13	108	(program\$5 near interface near layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 10:55
S14	84	S13 and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 11:30
S15	29	S14 and (mobile or wireless or cellular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:19
S16	8	S14 and (mobile or wireless or cellular) and (service adj provider) and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 11:28

S17	0	(mobile or wireless or cellular) and (service adj provider) and application\$2 and encapsulation and (function near specific near paramter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 11:29
S18	49	(mobile or wireless or cellular) and (service adj provider) and application\$2 and encapsulation and (function near specific) and (function near call\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 11:30
S19	45	S18 and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 11:30
S20	5	(AnswersResponse or BinaryResource or BooleanResponse) and (ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or Device or Devices or Identity) and (ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (Message or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or Response) and (Result or User or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:30
S21	112697	(AnswersResponse or BinaryResource or BooleanResponse or ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or Device or Devices or Identity or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (Message or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or Response or Result or User or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:32

S22	0	(AnswersResponse or BinaryResource or BooleanResponse or ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or Device or Devices or Identity or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (Message and MessageResponse and Resotlrce and ResourceReference and ResourcesResponse and Response and Result and User and UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:26
S23	2	(AnswersResponse and BinaryResource and BooleanResponse and ClientInfo and ConceptsResponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:27
S24	134906	(AnswersResponse or BinaryResource or BooleanResponse or ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or Device or Devices or Identity or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:27
S26	623	"I29" and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:29
S27	2	S21 and @ad<"20021110" and (wireless near application near service near provider\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:30
S28	5	(AnswersResponse or BinaryResource or BooleanResponse) and (ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse) and (ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (Message or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:31

S29	5	(AnswersResponse or BinaryResource or BooleanResponse) and (ClientInfo or ConceptsResponse) and (ConfiFile or DeckResponse) and (ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:31
S30	5	(AnswersResponse and BinaryResource) and (BooleanResponse or ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or Device or Devices or Identity or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (Message or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or Response or Result or User or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:32
S31	5	(AnswersResponse and BinaryResource) and (BooleanResponse or ClientInfo or Concepts or ConceptsResponse) and (ConfiFile or DeckResponse or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse) and (MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:33
S32	188612	(AnswersResponse or BinaryResource or BooleanResponse or ClientInfo or Concepts or ConceptsResponse or ConfiFile or DeckResponse or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:34
S33	96	S32 and @ad<"20021110" and (wireless near service near provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:34

S34	19	(AnswersResponse or BinaryResource or BooleanResponse or ClientInfo or ConceptsResponse or ConfiFile or DeckResponse or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:53
S35	0	S34 and @ad<"20021110" and (wireless near service near provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:35
S36	1	S34 and @ad<"20021110" and (wireless or mobile or cellular) and (service near provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:55
S37	1120	application and ((Answer near Response) or (Binary near Resource) or (Boolean near Response) or (Client near Info) or (Concepts near Response) or ConfiFile or (Deck near Response) or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:59
S38	70	S37 and @ad<"20021110" and (wireless or mobile or cellular) and (service near provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:57
S39	232	S37 and ((AnswerResponse) or (Binary near Resource) or (Boolean near Response) or (Client near Info) or (Concepts near Response) or ConfiFile or (Deck near Response) or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:57

S40	17	S39 and @ad<"20021110" and (wireless or mobile or cellular) and (service near provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:58
S41	168	S39 and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:59
S42	301	((Binary near Resource) or (Boolean near Response) or (Client near Info) or (Concepts near Response) or ConfiFile or (Deck near Response) or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 13:02
S43	225	S42 and @ad<"20021110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 12:59
S44	221	((Binary near Resource) or (Client near Info) or (Concepts near Response) or ConfiFile or (Deck near Response) or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 13:02
S45	39	((Client near Info) or (Concepts near Response) or ConfiFile or ImageResource or InfoRequest or InfoRequestResponse or InfoResponse or MessageResponse or Resotlrce or ResourceReference or ResourcesResponse or UserDatGesponse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 13:02